

पंजीकृत कार्यालय : इंजीनियर्स इंडिया भवन, 1, भीकाएजी कामा प्लेस, नई दिल्ली-110066
 Regd. Office : Engineers India Bhavan, 1, Bhikaiji Cama Place, New Delhi-110066

Procurement Development Department

Ref: 4994/PDD//E/S146

18th March, 2015

M/s Sealexcel (India) Pvt. Ltd.
 61, Veena Dalvai Indl. Estate
 S.V. Road, Oshiwara
 Jogeshwari (West)
 Mumbai – 400 102

Subject: Enlistment with EIL

Dear Sirs,

We refer to your request on subject matter and are pleased to inform that you have been enlisted with EIL for the item as described below:

Item Description	Material / Range	
Tube Fittings	Size Upto ½"	Rating Line Pressure Class Equal or less than to 600#

(This enlistment is valid for works located at Plot No. 300/1-2, Pirojpur – Mahi Road, Via Chhapi, Taluka – Vadgaam, Dist. Banaskantha, Gujarat – 385 210).

Please note that this enlistment is subject to satisfactory execution of orders in delivery and quality of above mentioned items when ordered for our various projects.

Further, it may be noted that any change in the product range, location of Works/Sales Office, Management/Organisation structure etc. shall be intimated to us immediately along with relevant document for our necessary action. In case, information to any of the above referred changes is not intimated timely, our enquiries may not reach you.

Enlistment with EIL shall not guarantee any regular flow of enquiries.


In the event of direct / indirect orders for EIL associated projects, materials will be supplied strictly as per the material / range / works as stated above including agreed responsibility matrix, if applicable, failing which your enlistment with EIL is liable to be cancelled.

The validity of this ENLISTMENT is upto 31st March, 2018.

You are advised to apply for revalidation "on-line", 6 months before expiry of the enlistment. Detailed procedures for revalidation can be seen on our website www.engineersindia.com.

Thanking you,

Very truly yours,



(Rajeev Kumar)
 Dy. General Manager
 Procurement Development Department